

Revision date: 2024/04/17 Page: 1/11

Version: 4.0 (30042375/SDS GEN US/EN)

1. Identification

Product identifier used on the label

Sodium Metabisulfite food grade (E223)

Recommended use of the chemical and restriction on use

Recommended use*: food additive(s)

Recommended use*: food additive(s); inorganic reducing agents

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: salt of inorganic acids

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 2/11 Version: 4.0 (30042375/SDS GEN US/EN)

Label elements

Pictogram:





Hazard Statement:

H318 Causes serious eye damage.

H302 Harmful if swallowed. H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.
P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P330 Rinse mouth.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):

Contact with acids liberates toxic gas.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Sodium metabisulfite

CAS Number: 7681-57-4

Content (W/W): >= 75.0 - <= 100.0%

Synonym: Disulfurous acid disodium salt; Disodium disulfite

sodium sulphite

CAS Number: 7757-83-7 Content (W/W): >= 0.0 - < 3.0% Synonym: Sodium sulfite

Revision date: 2024/04/17 Page: 3/11

Version: 4.0 (30042375/SDS_GEN_US/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, vomiting, asthmatic complaints, abdominal cramps, dyspnea, nausea, diarrhea, coughing

Information on: Sodium metabisulfite

Symptoms: Overexposure may cause:, vomiting, asthmatic complaints, abdominal cramps, dyspnea,

nausea, diarrhea, coughing

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

foam

Unsuitable extinguishing media for safety reasons:

No data available.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Sulphur dioxide,

Revision date: 2024/04/17 Page: 4/11 Version: 4.0 (30042375/SDS GEN US/EN)

The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Ensure adequate ventilation. Avoid dust formation. Avoid contact with eyes.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Use only in well-ventilated areas. Avoid dust formation.

Protect against moisture. Protect against heat.

Protection against fire and explosion:

The substance/product is non-combustible. No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from oxidants.

Do not store with: Sodium nitrate, sodium nitrite, sodium sulfide

Suitable materials for containers: rubberized, Polyester resin, glass reinforced (Palatal A410), Stainless steel 1.4541, Stainless steel 1.4571, High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Keep container in a well-ventilated place.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Sodium metabisulfite ACGIH, US: TWA value 5 mg/m3;

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 5/11 Version: 4.0 (30042375/SDS GEN US/EN)

The substance mentioned develops if the regulation/notes for storage and handling are not observed.

Sulphur dioxide ACGIH, US: STEL value 0.25 ppm;

OSHA Z1: PEL 5 ppm 13 mg/m3;

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Chemical resistant protective gloves, nitrile rubber (NBR) - 0.4 mm coating thickness, polyvinylchloride (PVC) - 0.7 mm coating thickness

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form: powder, crystalline

Odour: faint odour, of sulfur dioxide

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: white to slightly yellow

pH value: 4.0 - 4.8 (pH Meter)

(5 %(m), 20 °C)

Melting point: The substance / product

decomposes.not applicable

Freezing point: not applicable

Boiling point: The substance / product

decomposes therefore not

determined.

Boiling range: not applicable

Flash point: not applicable, the product is a solid

Flammability: not flammable (other)

Lower explosion limit: For solids not relevant for

classification and labelling.

Upper explosion limit: For solids not relevant for

classification and labelling.

Vapour pressure: The vapour pressure of the aqueous

solution consists of the partial pressure for water and the partial

pressure for sulphur dioxide.

Density: 2.36 g/cm3 (OECD Guideline

(20 °C) 109)

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 6/11 Version: 4.0 (30042375/SDS GEN US/EN)

Bulk density: 1,000 - 1,200 kg/m3
Partitioning coefficient n- not applicable

octanol/water (log Pow):

Thermal decomposition: 150 °C

To avoid thermal decomposition, do not overheat.

Viscosity, dynamic: not applicable, the product is a solid

Particle size: D50 169.68 - 173.41 µm (ISO 13320-1)

D90 422.29 - 443.58 μm (ISO 13320-1) D10 49.49 - 51.34 μm (ISO 13320-1)

Solubility in water: 667 g/l

(25 °C)

Literature data.

Evaporation rate: The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated. Reacts with nitrites. Reacts with nitrates. Reacts with oxidizing agents.

Conditions to avoid

Avoid humidity.

Incompatible materials

acids, oxidizing agents, nitrites, nitrates, sulfides

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: Sulphur dioxide

Thermal decomposition:

150 °C

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 7/11 Version: 4.0 (30042375/SDS GEN US/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Information on: Sodium metabisulfite

Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Oral

Type of value: LD50 Species: rat (male/female)

Value: 1,540 mg/kg (OECD Guideline 401)

Inhalation

Type of value: LC50 Species: rat (male/female) Value: > 5.5 mg/l (IRT) Exposure time: 4 h Tested as dust aerosol.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a

similar structure or composition.

Assessment other acute effects

Assessment of STOT single:

Apart from effects causing lethality, no specific target organ toxicity was observed in experimental studies.

Irritation / corrosion

Assessment of irritating effects: Risk of serious damage to eyes. Not irritating to the skin.

Information on: Sodium metabisulfite

Assessment of irritating effects: Not irritating to the skin. May cause severe damage to the eyes.

<u>Skin</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit

Result: Risk of serious damage to eyes.

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 8/11 Version: 4.0 (30042375/SDS GEN US/EN)

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. A sensitizing effect on particularly sensitive individuals cannot be excluded.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organioxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

<u>Teratogenicity</u>

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 316 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates

EC50 (48 h) 89 mg/l, Daphnia magna (Directive 79/831/EEC, static) Nominal concentration.

Revision date: 2024/04/17 Page: 9/11 Version: 4.0 (30042375/SDS GEN US/EN)

Aquatic plants

EC50 (72 h) 43.8 mg/l (growth rate), algae (other, static)

Nominal concentration.

Chronic toxicity to fish

No observed effect concentration (34 d) > 316 mg/l, Brachydanio rerio (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

Nominal concentration.

Assessment of terrestrial toxicity

Study scientifically not justified.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 aquatic

activated sludge of a predominantly domestic sewage/No observed effect concentration (3 h): > 1,000 mg/l

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Inorganic product which cannot be eliminated from water by biological purification processes.

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential

Accumulation in organisms is not to be expected.

Bioaccumulation potential

Study scientifically not justified.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Additional information

Sum parameter

Chemical oxygen demand (COD): (calculated) 165 mg/g

Sodium Metabisulfite food grade (E223)

Revision date: 2024/04/17 Page: 10/11 Version: 4.0 (30042375/SDS_GEN_US/EN)

Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. This material and its container must be disposed of in a safe way.

Container disposal:

Empty containers with less than 1 inch of residue may be landfilled at a licensed facility.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Food TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

NFPA Hazard codes:

Health: 3 Fire: 0 Reactivity: 0 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 4 (oral) Acute toxicity

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

Revision date: 2024/04/17 Page: 11/11 Version: 4.0 (30042375/SDS GEN US/EN)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2024/04/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. chemical industry

END OF DATA SHEET