

Arm & Hammer™ Sodium Bicarbonate USP No. 5 Coarse Granular

Test Method	USP	FCC
-	Sodium Bicarbonate contains not less than 99.0 percent and not more than 100.5 percent of NaHCO ₃ calculated on the dried basis.	A white crystalline powder. It is stable in dry air, but slowly decomposes in moist air. Its solutions, when freshly prepared with cold water, without shaking, are alkaline to litmus. The alkalinity increases as the solutions stand, are agitated or are heated.
USP	Not less than 99.0% and not more than 100.5% of NaHCO ₃	Not less than 99% NaHCO₃ after drying
USP <191>	Meets the requirements of the tests for sodium and bicarbonate.	A 1 in 10 solution gives positive tests for sodium and for bicarbonate.
USP	Dissolve 1 g in 20 ml of water; the resulting solution is complete and clear.	Passes test
USP	Meets test.	-
USP <221>	Not more than 0.015%	-
USP	Not more than 0.015%	-
ICP		-
	Not more than 0.3 μg/g	-
		Not more than 2 mg/Kg
	Not more than 0.9 μg/g	-
	Not more than 1 μg/g	-
	• • • • • • • • • • • • • • • • • • • •	-
USP <731>	Not more than 0.25%	Not more than 0.25% by weight
	USP USP USP USP USP USP USP USP	Sodium Bicarbonate contains not less than 99.0 percent and not more than 100.5 percent of NaHCO3 calculated on the dried basis. USP Not less than 99.0% and not more than 100.5% of NaHCO3 USP <191> Meets the requirements of the tests for sodium and bicarbonate. USP Dissolve 1 g in 20 ml of water; the resulting solution is complete and clear. USP Meets test. USP Meets test. USP Meets test. USP Not more than 0.015% USP Not more than 0.015% ICP Not more than 0.3 µg/g Not more than 0.3 µg/g Not more than 0.9 µg/g Not more than 1 µg/g Not more than 1 µg/g Not more than 20 ppm

Ammonia is not used in the manufacturing process for Church & Dwight Sodium bicarbonate. Controlled handling and storage of the product ensure that ammonia will not exceed the USP limit.

^{*}Elemental Impurities Limits based on USP <232> Table 3, Oral Concentration. Residual Solvents testing under USP <467> is not required as no solvents, and specifically no solvents of Class 1, 2, or 3 as defined in <467>, are used in the manufacture or purification of Church & Dwight Sodium Bicarbonate.





Granulation

		Ro-Tap Cumulative % Retained	
Sieve Size (USS)	Microns	Minimum	Maximum
60	250	0	8
70	210	0	35
100	149	55	100
170	88	93	100

General Properties (Not Specifications)

Properties (Not Specifications)		
Empirical Formula	NaHCO ₃	
CAS Number	144-55-8	
Other Names	Bicarbonate of Soda	
	Sodium Hydrogen Carbonate	
	Baking Soda	
Chemical Abstract Name	Carbonic acid monosodium salt	
E Number	E-500(ii)	
Appearance	White crystalline powder	
Taste	Slightly alkaline	
Molecular Weight	84.01	
Thermal Decomposition	Decomposes without melting into Na ₂ CO ₃ , H ₂ O and	
	CO ₂ .	
Crystal Density	137.3 lb /ft³, 2.2 g / cc	
Bulk Density	61 lb/ft ³ , 0.977 g/cc	
BTU / lb at 72°F	0.249	
Solubility in water at 77°F	Approximately 9.5%	
Solubility in Alcohol	Insoluble	
Alkali Equivalent	1 lb NaHCO ₃ = 0.369 lb Na ₂ O	
Acid Equivalent	1 lb NaHCO ₃ = 0.435 lb HCl	
Carbon Dioxide Equivalent	1 lb NaHCO ₃ = 0.524 lb CO ₂	
pH 1% aqueous soln at 77°F	Approximately 8.3	